

Preparation and Properties of Polypropylene Composites with High Thermal Conductivity Fillers by Melt Compounding

メタデータ	言語: English
	出版者:
	公開日: 2014-03-25
	キーワード (Ja):
	キーワード (En):
	作成者: Cheewawuttipong, Watthanaphon
	メールアドレス:
	所属:
URL	http://hdl.handle.net/10098/8202

CONTENTS

	Page
CHAPTER 1 INTRODUCTION	
1.1 Motivation	1
1.2 Background	2
1.2.1 Thermal management of electronic devices	2
1.2.2 Polymers	7
1.2.3 Ceramics	8
1.2.4 Carbon	10
1.3 Literature review	12
1.3.1 High thermal conductivity and electrical insulation	12
polymer composites	
1.3.2 High thermal conductivity and electrical conductive	15
polymer composites	
1.3.3 Enhanced thermal conductivity of polymer composites	18
with hybrid filler systems	
1.3.4 Influences of surface modification of filler enhanced	20
properties of polymer composites	
1.3.5 The conclusion of literature review	22
1.4 Thesis objective	23
CHAPTER 2 EXPERIMENTAL METHOD	
2.1 Materials	25
2.2 Preparation of surface modification of filler	25
2.3 Preparation of polymer composites	28
2.3.1 Batch kneader	28
2.3.2 Twin screw extruder	28
2.4 Testing	29

	Page
2.4.1 Thermal conductivity measurement	29
2.4.2 Mechanical properties	30
2.4.3 Thermal analysis	31
2.4.4 Dynamic mechanical analysis	32
2.4.5 Electrical properties	32
2.4.6 Characterization and properties of PP composites	33
2.4.6.1 Fourier transform infrared spectroscopy (FTIR)	33
2.4.6.2 Morphological observation	33
2.4.6.3 X-ray diffraction analysis (XRD)	34
2.5 Conclusion	34
CHAPTER 3 PREPARATION AND PROPERTIES OF HIGH THERMAL CONDUCTIVITY POLYPROPYLENE COMPOSITES	
3.1 Introduction	36
PART I	40
3.2 Thermal and mechanical properties of polypropylene composites	
containing a single size of boron nitride particles.	
3.2.1 Experimental	40
3.2.1.1 Materials	40
3.2.1.2 Preparation	41
3.2.1.3 Testing	42
3.2.2 Result and discussion	44
3.2.2.1 Thermal conductivity of composites containing	44
BN particles of a single size	
3.2.2.2 The morphologies of PP composites containing	45
BN particles of a single size	
3.2.2.3 Dynamic mechanical analysis of composites	51
containing BN particles of a single size	

	Page
3.2.2.4 Thermal analysis of composites containing BN	54
particles of a single size	
3.2.2.5 X-ray diffraction of composites containing BN	59
particles of a single size	
3.2.2.6 Prediction of thermal conductivity of the	61
composites by using calculation model	
PART II 3.3 Thermal conductivity and mechanical properties of	64
polypropylene composites containing the combination of	
different-sized boron nitride particles.	
3.3.1 Experimental	64
3.3.1.1 Materials	64
3.3.1.2 Preparation	65
3.3.1.3 Testing	66
3.3.2 Result and discussion	66
3.3.2.1 Thermal conductivity of PP composites with	66
combinations of BN particles of different sizes	
3.3.2.2 The morphologies of PP composites with	70
combinations of BN particles of different sizes	
3.3.2.3 Dynamic mechanical analysis of PP composites	72
with combinations of BN particles of different sizes	
PART III	76
3.4 Thermal conductivity of polypropylene composites containing	
hybrid filler systems of boron nitride particles and vapor-	
grown carbon fiber	
3.4.1 Experimental	76
3.4.1.1 Materials	76
3.4.1.2 Preparation	78
3.4.1.3 Testing	78

		Page
3.4.2	2 Result and discussion	79
	3.4.2.1 Thermal conductivity of PP/BN and PP/VGCF	79
	composites	
	3.4.2.2 The morphologies of PP/VGCF composites	81
	3.4.2.3 Thermal conductivity of PP composites with	83
	hybrid filler of BN/VGCF	
	3.4.2.4 Surface resistivity of PP composites with hybrid	85
	BN/VGCF	
	3.4.2.5 The morphologies of PP composites with hybrid	86
	BN/VGCF	
3.5 Conc	lusion	91
CHAPTER 4	EFFECT OF SURFACE MODIFICATION WITH TITANATE COUPLING AGENT ON PROPERTY OF POLYPROPYLENE COMPOSITES	
4.1 Introd	luction	95
PART I		98
4.2 Effect	t of surface modification on the properties of polypylene/	
vapo	or-grown carbon fiber composites	
4.2.	1 Experimental	98
	4.2.1.1 Materials	98
	4.2.1.2 Surface modification with titanate coupling agent	99
	on VGCF surface	
	4.2.1.3 Preparation	99
	4.2.1.4 Testing	100
4.2.2	2 Result and discussion	102
	4.2.2.1 FTIR analysis of untreated and treated short-	102
	length VGCF	

	Page
4.2.2.2 Thermal conductivity of PP composites with	103
untreated and treated short-length VGCF	
4.2.2.3 Surface resistivity of PP composites containing	104
untreated and treated short-length VGCF	
4.2.2.4 Morphologies of PP composites with untreated	105
and treated short-length VGCF	
4.2.2.5 Mechanical properties of PP composites	109
containing untreated and treated short-length VGCF	
4.2.2.6 Dynamic mechanical analysis of PP composites	113
with untreated and treated short-length VGCF	
4.2.2.7 X-Ray Diffraction of PP composites containing	116
untreated and treated short-length VGCF	
PART II	118
4.3 Effect of surface modification on improving electrical and	
mechanical properties of PP/VGCF composites	
4.3.1 Experimental	119
4.3.1.1 Materials	119
4.3.1.2 Surface modification with titanate coupling agent	119
on VGCF surface	
4.3.1.3 Preparation	119
4.3.1.4 Testing	119
4.3.2 Result and discussion	120
4.3.2.1 Thermogravimetric analysis of PP composites	120
with untreated and treated long-length VGCF	
4.3.2.2 Surface resistivity of PP composites with	122
untreated and treated long-length VGCF	
4.3.2.3 Dynamic mechanical analysis of PP composites	123
with untreated and treated long-length VGCF	

		Page
4.3.2.4	Morphologies of PP composites with untreated	124
а	and treated long-length VGCF	
PART III		127
4.4 Effect of surfa	ace modification on increasing dispersibility of	
	BN particles in PP/BN composites.	
4.4.1 Experi	imental	127
_	Materials	127
4.4.1.2	Surface modification with titanate coupling agent	127
	on BN surface	
4.4.1.3	Preparation	128
	- Testing	128
	and discussion	129
4.4.2.1	Thermal conductivity of PP composites with	129
	intreated and treated small-sized BN particles	
	Morphologies of PP composites with untreated	131
	and treated small-sized BN particles	
4.5 Conclusion		132
CHAPTER 5 CONC	TI LISION	
5.1 Conclusion	LUSION	134
	fect of high thermal conductivity filler on	134
	·	134
• •	ties of polymer composites	127
	ffect of surface modification with titanate coupling	137
	on the dispersibility of filler in polymer matrix and	
• •	ties of polymer composites	120
5.2 Future works		139

	Page
REFERENCES	140
LIST OF PLUBLIC PAPERS AND CONFERENCES	147
ACKNOWLEDGMENT	149